



www.tkm.ru

ДЗДЗДЗ

63000-FSP036RAB608-RS

\$32.00 (ÑfÑ±Đ,Ñ,Ñ«Đ²Đ°Ñ•Đ½Đ°Đ»Đ¾Đ³Đ, 18 %

type=image,width=1.3225,height=1.3225 3.75 0 0 3.75 28.35 549.94 cm /12 Do Q

63000-FSP036RAB608-RS -Â Đ°Đ´Đ°Đ¿Ñ,ĐµÑ€Â

type=image,width=1.3225,height=1.3225 3.75 0 0 3.75 28.35 549.94 cm /12 Do Q,Â

Đ²Ñ...Đ¾Đ´Đ½Đ¾Đµ Đ½Đ°Đ¿Ñ€Ñ•Đ¶ĐµĐ½Đ,ĐµÂ 90~264
Đ', FSP, ErP, RoHS.

ĐŸÑ€Đ¾ĐµĐ½Đµ,Đµ

ĐŸÑ€Đ¾ĐµĐ½ĐµÑ•Ñ°Đ»ĐµĐ½ĐµÑ•Đµ, Đ¾Ñ,Đ¾Ñ•Đ½Ñ•Đµ,
Đ¿ĐµÑ€ĐµĐ½Đ¾Ñ•Đ½Ñ•Đµ Đ°Đ¾Đ¼Đ¿Ñ€Ñ•ÑŸÑ,ĐµÑ€Ñ•Ñ•

ĐžÑ•Đ¾Đ²Đ½Ñ•Đµ Đ¿Đ°Ñ€Đ¼ĐµÑ,Ñ€Ñ•

Đ¿Đ¿

AD_i/DC

Đ¿Ñ€ĐµĐ¾Đ±Ñ€Đ°Đ•Đ¾Đ²Đ°Đ½Đ¾Ñ•

36Â Đ'Ñ,

ĐœĐ¾Ñ%Đ½Đ¾Ñ•Ñ,Ñ€

87Â %

ĐšĐŸĐ”

Đ'Ñ...Đ¾Đ´

Đ”Đ¾Đ¿Đ°Đ•Đ¾Đ½

90Â ~ 264Â Đ' (AC)

Đ²Ñ...Đ¾Đ´Đ½Đ¾Đ³Đ¾

Đ½Đ°Đ¿Ñ€Ñ•Đ¶ĐµĐ½Đ¾Ñ•

ĐšĐ°Ñ•Ñ,Đ¾Ñ,Đ° Đ²Ñ...Đ¾Đ´Đ½Đ¾Đ³Đ¾

47 ~ 63 Đ“Ñ†

Đ½Đ°Đ¿Ñ€Ñ•Đ¶ĐµĐ½Đ¾Ñ•

Đ'Ñ•Ñ...Đ¾Đ´

Đ•Đ°Đ¿Ñ€Ñ•Đ¶ĐµĐ½Đ¾,Đµ

12 Đ'

Đ•Đ°Đ¾Ñ€ÑfĐ•Đ°Đ°

3Â Đ•

Đ'Ñ•Ñ...Đ¾Đ´Đ½Ñ•Đµ Ñ€Đ°Đ•ÑšÑ'Đ¼Ñ•

Đ”Đ¾Đ¿Đ¾Đ»Đ½Đ¾Ñ,ĐµĐ»ÑœĐ½Ñ•Đ´

1 Ñ•Ñ,.

Đ°Đ°Đ±ĐµĐ»Ñ€

0Â°Đ_i ... +40Â°Đ_i

ĐđĐμĐ^{1/4}Đ_zĐμÑ€Đ°Ñ,ÑfÑ€Đ°
Ñ...Ñ€Đ°Đ^{1/2}ĐμĐ^{1/2}Đ_zÑ•

-20Â°Đ_i ... +80Â°Đ_i

UL 60950 / TUV EN 60950 / CCC

Đ-Đ»ĐμĐ°Ñ,Ñ€Đ^{3/4}Đ^{1/4}Đ°Đ^{3/4}Đ^{1/2}Đ_zÑ,Đ^{1/2}Đ°Ñ•
Ñ•Đ^{3/4}Đ^{2/4}Đ^{1/4}ĐμÑ•Ñ,Đ_zĐ^{1/4}Đ^{3/4}Ñ•Ñ,Ñ€

BSMI / CE

Đ-Đ½ĐμÑЄĐ³Đ¼Ñ•Đ±ĐμÑЄĐμĐ¶ĐμĐ½Đ,Đμ

RoHS

Đ Đ¼Ñ•ĐĐμÑ•Ñ,

ErP

Đ"Đ°

Đ"Đ°

[Đ~Đ½Ñ,Đ¼ÑЄĐ¼Đ°Ñ†Đ,Ñ•Đ¼Đ¿ÑЄĐ¼Đ'Đ°Đ²Ñ†Đμ](#)